



Cecilia Payne-Gaposchkin

Discoverer of the Composition of the Stars

David Kolb

Astronomy Associates of Lawrence

August 30, 2020

Childhood and Early Education

- Born in Wendover, England on May 10, 1900 to middle class parents Emma and Edward Payne.
- Learned the French and Latin languages and later in life learned German and Italian.
- A strong aptitude for geometry and algebra.
- Developed an early passion for science, particularly botany.



St. Mary's Catholic School


- At the age of 12 her family moved to London so that her brother Edward could receive a better education.
- Enrolled in St. Mary's Catholic School.
- Received very little science instruction.
- Always carried away the top prizes.
- Not very happy and not compliant as the other girls.
- Not knowing how to deal with a high achieving girl the school in the end expelled her.

St. Paul's Girls' School

- Provided a strong science curriculum (biology, chemistry, and physics).
- Became a member of the orchestra and learned to conduct under Gustav Holst.
- Caught up on chemistry, Newtonian dynamics, thermodynamics, electricity and magnetism, and basic astronomy.
- Physics replaced her love of botany.
- Attended for one year before going on to Cambridge.



Newnham College (1919-1923)




Newnham College 1920

- Enrolled in Newnham (Cambridge's college for women) in 1919.
- Studied in Cavendish Laboratory under George Frederick Charles Searle, Niels Bohr, and Ernest Rutherford.
- Cavendish Laboratory was a very sexist environment.
- Turned to astronomy after attending a lecture, by Sir Arthur Eddington, about his confirmation of Einstein's general theory of relativity using the shift of stellar positions during the 1919 solar eclipse.


Cambridge Observatory

- Studied under Sir Arthur Eddington, W. M. Smart, and E. A. Milne.
- Learned about relativity, celestial mechanics, reduction of observations, and the chemical composition of the stars.
- Eddington (and other astronomers), at this time, believed in the uniformity of composition of celestial bodies (that all normal stars had the same composition as the earth).
- By this time the differences in the spectra of stars was assumed to be due to temperature but the mechanism was not yet well understood.



Sir Arthur Eddington

B5V



G4V





Completion of Studies

- Options after Newnham were basically limited to being a schoolmarm.
- Newnham did not confer actual degrees.
- Attended a lecture by Harlow Shapley and was inspired to go to America and work for Shapley.
- In 1920 Meghnad Saha developed a theory, using quantum and statistical mechanics, that explained the appearance of a star's spectra in terms of the temperature and pressure of the star's atmosphere.
- Milne encouraged Cecilia to test Saha's theory using the Harvard Observatory's library of stellar spectra to see if the uniformity in composition of the stars could be verified.

Harvard College Observatory

- Huge collection of stellar photographs and spectra.
- A number of women were employed to measure and classify the photographic plates. These women were grossly underpaid.
- Classified stars according to the appearance of their spectra (OBAFGKM). Physical basis was unknown.
- Cecilia enrolled as a graduate student in Radcliff College (Harvard's women's college).
- She began the analysis of the spectra of hotter stars.



Stellar Atmospheres

- Not trained as a spectroscopist.
- Spent two years trying to make sense of the stellar spectra.
- Applied her training in quantum mechanics and knowledge of Saha's theory.
- Made a breakthrough with the element silicon.
- She showed that the composition of the stars are fairly uniform as Eddington said with the exception of hydrogen and helium.



Stellar Atmospheres

Saha Equation




$$\frac{n_{i+1} n_e}{n_i} = \frac{2}{\lambda^3} \frac{g_{i+1}}{g_i} \exp \left[-\frac{(\epsilon_{i+1} - \epsilon_i)}{k_B T} \right]$$

Observed Relative Line Strengths




Meghnad Saha




Bohr Model of Hydrogen Atom

Sample Stellar Spectra

Stars with spectral types earlier than the Sun



Stellar Atmospheres



Observed Relative Line Strengths versus Predicted Line Strengths from Cecilia's Thesis

Stellar Atmospheres

- Determined the relative abundances of the elements based on the marginal appearances of the lines of various elements. There are two marginal appearances, one at a high temperature and another at a low temperature. The marginal appearances are dependent on abundances.
- At the high temperature where a line has marginal appearance nearly all of the atoms are ionized and only a small fraction are able to absorb photons. This fraction is approximately the same for all elements. She used the Saha equation to determine this fraction, which in turn allowed her to compute the relative abundance of the elements.
- Elements other than hydrogen and helium basically had the same relative abundances as found on the earth and in stony meteorites.
- Hydrogen was about one million times more abundant than the heavier elements.
- Helium was about 1,000 times more abundant.


$$f_X = \frac{n_{X,abs}}{n_X} = \frac{\text{number of atoms of element X able to absorb photons}}{\text{total number of atoms of element X}}$$

TABLE XXVIII


Atomic Number	Atom	Log a_r	Atomic Number	Atom	Log a_r	Atomic Number	Atom	Log a_r
1	H	11	13	Al	5.0	23	V	3.0
2	He	8.3	14	Si	4.8	24	Cr	3.9
	He+	12		Si+	4.9	25	Mn	4.6
3	Li	0.0		Si+++	6.0	26	Fe	4.8
6	C+	4.5	19	K	3.5	30	Zn	4.2
11	Na	5.2	20	Ca	4.8	38	Sr	1.8
12	Mg	5.6		Ca+	5.0		Sr+	1.5
	Mg+	5.5	22	Ti	4.1	54	Ba+	1.1

Stellar Atmospheres

- Thesis was published in 1925 (“Stellar Atmospheres”) and she received the first PHD in astronomy from Harvard.
- Henry Norris Russell (reviewed her thesis) insisted that she insert a disclaimer on the high abundances of hydrogen and helium (“The enormous abundance derived for these elements ... is most certainly not real.”).
- Russell took four years to come around to her findings (in a 1929 paper he concluded that Cecilia’s findings on the abundance of H and He were correct after his results using a different method agreed with her results) and was often given credit for it due to his prominent standing in the astronomical community.



Stellar Atmospheres



“...the most brilliant PhD thesis ever written in astronomy.”

Otto Struve - 1962

Career After Receiving Her Degree

- Continued to work at the Harvard Observatory without a title (Harvard President Lawrence Lowell: “Miss Payne should never have a position in the University while I am alive”).
- Many career opportunities were deflected by Harlow Shapley.
- 1934: Married Sergei Gaposchkin, a Russian astronomer.
- Specialized in study of variable stars.
- After Shapley retired as director his replacement Donald Menzel doubled Cecilia’s salary.
- 1956: became the first woman to be promoted to a full professorship at Harvard followed by the first woman to chair a department a few months later.

References

- Burrows , Adam , “The Classification of Stellar Spectra”, Princeton University, <https://www.astro.princeton.edu/~burrows/classes/204/stellar.atmospheres.HR.pdf>
- Cecilia Payne-Gaposchkin, Wikipedia, https://en.wikipedia.org/wiki/Cecilia_Payne-Gaposchkin
- de los Reyes, Mia, “The Stuff of Stars”, Astrobytes, <https://astrobites.org/2018/12/03/the-stuff-of-stars/>, 2018
- DeVorkin, David H. and Kenat, Ralph, “Quantum Physics and the Stars (I): The Establishment of a Stellar Temperature Scale”, Journal for the History of Astronomy, Vol.14:2, NO.40, P.102, 1983
- DeVorkin, David H. and Kenat, Ralph, “Quantum Physics and the Stars (II): Henry Norris Russell and the Abundances of the Elements in the Atmospheres of the Sun and Stars”, Journal for the History of Astronomy V.14:3, P.180, 1983
- Eddington, A. S, “The Internal Constitution of the Stars ”, The Observatory, Vol. 43, p. 341-358, 1920
- Fine, Tom , “Harvard College Observatory History in Images”, <https://www.harvard.edu/~fine/Observatory/cpayne.html>
- Gingrich , Owen, “Payne-Gaposchkin, Cecilia (1900-1980)”, Harvard Smithsonian Center for Astrophysics, <https://www.harvardsquarelibrary.org/biographies/cecilia-payne-gaposchkin-3/>
- Haramundanis K. (2014) Payne-Gaposchkin, Cecilia Helena. In: Hockey T. et al. (eds) Biographical Encyclopedia of Astronomers. Springer, New York, NY. https://doi.org/10.1007/978-1-4419-9917-7_9103

References

Haramundanis, Katherine (ed.), "Cecilia Payne-Gaposchkin: An Autobiography and Other Recollections", Cambridge, England, 1984

Herter, Terry, "Stellar Spectra", Department of Astronomy, Cornell University, [http://hosting.astro.cornell.edu/academics/courses/a290/lectures/A2290_12%20\(Stellar%20Spectra\).pdf](http://hosting.astro.cornell.edu/academics/courses/a290/lectures/A2290_12%20(Stellar%20Spectra).pdf)

Kudritzki, Rolf, "Stellar Spectra", Institute for Astronomy, University of Hawaii, http://www.ifa.hawaii.edu/users/kud/teaching_12/6_Stellar_spectra.pdf

Moore, Donovan, "What Stars Are Made Of: The Life of Cecilia Payne-Gaposchkin", Cambridge, Massachusetts, Harvard University Press, 2020

Payne, Cecilia, "Stellar Atmospheres, Harvard Monograph no. 1", Cambridge, Massachusetts: Harvard University Press, 1925

Russell, H. N., "On the Composition of the Sun's Atmosphere", Astrophysical Journal, vol. 70, p.11, 1929

Saha Ionization Equation, Wikipedia, https://en.wikipedia.org/wiki/Saha_ionization_equation

Wayman, Patrick A, "Cecilia Payne-Gaposchkin: Astronomer Extraordinaire", Astronomy & Geophysics, Volume 43, Issue 1, February 2002, Pages 1.27–1.29, <https://doi.org/10.1046/j.1468-4004.2002.43127.x>

The background is a dark blue gradient with faint, light blue technical diagrams. These diagrams include circular gauges with scales, concentric circles, and arrows indicating rotation or flow. A prominent scale on the left side of the image ranges from 160 to 260 in increments of 10. The word "Questions?" is centered in a large, white, sans-serif font.

Questions?